




FEATURES

- DC 4 terminal Resistance Measurement with testing voltage max. AC450V.
- Automatic Test with PC through RS232C Interface equipped as standard.
- Directly display Temperature Conversion Value by setting parameters.
- It is possible to print out measured values and temperature conversion values with an optional thermal printer kit and also to print out every given time with an internal mode.

APPLICATION



Motor

- Power Tool
- Compressor Motor for Air Conditioner
- Industrial Motor
- Home Appliances



Transformer

- Audio & Visual Instruments
- Electronic Oven
- Medical Equipments

東方科技公司 ORIENTAL TECHNOLOGY COMPANY



O/B ORIENTAL TECH DEVELOPMENT LTD.
Unit 2704, Technology Plaza, 29-35 Sha
Tsui Road, Tsuen Wan, N.T., Hong Kong.
Tel: 852-24023200 Fax: 852-24133100
<http://www.otdl.com> info@otdl.com

SPECIFICATIONS

Voltage Measuring Range	0 – 500V (performance value)
Resistance Measuring Range	4 Ω Range : 0 – 4.000 Ω 40 Ω Range : 3.00 – 40.00 Ω 400 Ω Range : 30.0 – 400.0 Ω 4000 Ω Range : 300 – 4000 Ω
Applied Voltage to Test Samples	Max. AC450V (50/60Hz)
Measuring Input Impedance	More than 200k Ω (50/60Hz)
Minimum Resolution	Resistance Value: Digital 4 digits Maximum Display 4400 Temperature : Digital 5 digits Maximum Display 999.9 $^{\circ}$ C 1999.9 $^{\circ}$ F Voltage: Digital 3 digits Maximum Display 550
Accuracy	$\pm(0.2\%FS + 2 \text{ digits})$
Communication Facility	RS232C compliance (D-SUB 9 pin) Data print out (with an optional thermal printer)
Rated AC Voltage	AC100V – 240V $\pm 10\%$ 50/60Hz
Size	W 430 xH 150 xD 385 (mm)
Weight	Approx. 18.0kg
Option	Thermal Printer (serial interface) DC Cut Capacitor



DC Cut Capacitor Series



Thermal Printer Kit

